5

10

15

20

25

What is claimed is:

1. A method of forming droplets, the method comprising:		
	flowing a liquid through a channel;	
	spreading the liquid into a thin film in the channel; and	
	impinging the thin film with a flowing gas to atomize the liquid into droplets	
having a diameter less than 35 micrometers.		

- 2. A method according to claim 1 wherein the thickness of the thin film is less than 0.020 in.
 - 3. A method according to claim 1 wherein the thickness of the thin film is less than 0.005 in.
 - 4. A method according to claim 1 wherein the liquid comprises a pharmaceutical active agent.
- 5. A method according to claim 1 further comprising contacting the thin film with a second flowing gas.
 - 6. A method according to claim 1 wherein the thin film is cylindrically shaped.
 - 7. A method of forming droplets, the method comprising:
 flowing a liquid through a channel;
 spreading the liquid into a thin film; and
 impinging the thin film with a flowing gas to atomize the liquid into droplets,
 the flowing gas impinging the thin film at a right angle.
- 8. A method according to claim 7 wherein the thickness of the thin film is less than 0.020 in.

than 0.005 in.	9.	A method according to claim 7 wherein the thickness of the thin film is less		
than 0.005 m.				
	10.	A method according to claim 7 wherein the liquid comprises a		
pharmaceutical active agent.				
	11.	A method according to claim 7 wherein the thin film is cylindrically shaped		
	12.	A method of forming a pharmaceutical formulation, the method comprising flowing a liquid through a channel, the liquid comprising a pharmaceutical		
active agent;				
		spreading the liquid into a thin film;		
		impinging the thin film with a flowing gas to atomize the liquid into		
droplets; and				
		drying the droplets to form particles comprising the active agent.		
	13.	A method according to claim 12 wherein the particles have a mass median		
diameter less than 20 μ m.				
	14.	A method according to claim 12 wherein the particles have a mass median		
diameter less than 10 μ m.				
	15.	A method according to claim 12 wherein the active agent comprises insuling		
	16.	A pharmaceutical formulation produced by a method comprising:		
		flowing a liquid through a channel, the liquid comprising a pharmaceutical		
active agent;				
		spreading the liquid into a thin film;		
deomlotes and		impinging the thin film with a flowing gas to atomize the liquid into		
droplets; and				

drying the droplets to form particles comprising the active agent.

	17.	An atomizer for forming droplets, the atomizer comprising:		
		a first channel through which a liquid may flow, the channel comprising a		
	constriction for sprea	ading the liquid into a thin film in the channel; and		
5		a second channel though which an atomizing gas may flow, the second		
	channel being position	oned so that the atomizing gas impinges the liquid thin film in a manner which		
		ving a diameter less than 35 micrometers.		
	r	a clameter rese than 22 more meters.		
	18.	An atomizer according to claim 17 wherein the constriction has a diameter		
10	less than 0.020 in.	7 in atomizer according to claim 17 wherein the constriction has a diameter		
10	1035 than 0.020 m.			
	19.	An examination and the second		
		An atomizer according to claim 17 wherein the constriction has a diameter		
	less than 0.005 in.			
4 =				
15	20.	An atomizer according to claim 17 further comprising a third channel		
	through which a gas	may flow.		
	21.	An atomizer according to claim 17 wherein the first channel is shaped so that		
	the thin film is cylindrically shaped.			
20				
	22.	An atomizer for forming droplets, the atomizer comprising:		
		a first channel through which a liquid may flow, the channel comprising a		
	constriction for sprea	ading the liquid into a thin film in the channel; and		
		a second channel though which an atomizing gas may flow, the second		
25	channel being positioned so that the atomizing gas impinges the liquid thin film at a right angle to			
	produce droplets.			
	23.	An atomizer according to claim 22 wherein the constriction has a diameter		
	less than 0.020 in.			

30

24. An atomizer according to claim 22 wherein the constriction has a diameter

less than 0.005 in.

- 25. An atomizer according to claim 22 wherein the first channel is shaped so that the thin film is cylindrically shaped.
- 26. A spray drying system for forming a pharmaceutical formulation, the system comprising:

an atomizer, the atomizer comprising a first channel through which a liquid may flow, the channel comprising a constriction for spreading the liquid into a thin film in the channel, the atomizer further comprising a second channel though which an atomizing gas may flow, the second channel being positioned so that the atomizing gas impinges the liquid thin film to produce droplets;

a drying chamber to dry the droplets; and a collector to collect particles dried in the chamber.

15

10

5